


A3 PRO

3.9MM INDOOR LED DISPLAY



Pixel pitch	3.9 mm
Brightness	1200 nits
Pixel configuration	SMD 3 in 1
Contrast ratio	2500 : 1
Refresh rate	2000 Hz
Gray scale	65536 level
Gray scale per colour	16 bit
Viewing angle (H/V)	140 / 140 deg.
Power consumption per sq.m. (max/avg)	540/180 v/sq.m.
Input voltage (AC)	110-240 V
Panel size (WxHxD)	500 x 500 x 96 mm
Panel material	Aluminium
Panel weight	10 kg
Pixel matrix per panel	128 x128 pixels
Operating temperature	-10-+40°C
Signal input format (with LED controller)	DVI, HDMI

A3 PRO

3.9MM INDOOR LED DISPLAY

A3.9	Panel	Ratio	Panel Qty.	Size (m ²)	Dimension (W x H) m	Pixel Resolution	Total Weight (kg)	Avg Power (Watts)
16:9	5 x 3	16:9.6	15	3.75	2.5 x 1.5	640 x 384	150	675
	7 x 4	16:9.1	28	7	3.5 x 2	896 x 512	280	1260
	9 x 5	16:8.9	45	11.25	4.5 x 2.5	1152 x 640	450	2025
	10 x 6	16:9.6	60	15	5 x 3	1280 x 768	600	2700
	12 x 7	16:9.3	84	21	6 x 3.5	1536 x 896	840	3780
	14 x 8	16:9.1	112	28	7 x 4	1792 x 1024	1120	5040
	15 x 8	16:8.5	120	30	7.5 x 4	1920 x 1024	1200	5400
	16 x 9	16:9	144	36	8 x 4.5	2048 x 1152	1440	6480
4:3	4 x 3	4:3	12	3	2 x 1.5	512 x 384	120	540
	8 x 6	4:3	48	12	4 x 3	1024 x 768	480	2160
	12 x 9	4:3	108	27	6 x 4.5	1536 x 1152	1080	4860
	16 x 12	4:3	192	48	8 x 6	2048 x 1536	1920	8640