


ATHENA VX-WALL PRO

The first all-in-one versatile, LED Display System,
suitable for commercial, domestic & retail applications



PALLAS 
SEAMLESS VIDEO WALLS

APPEARANCE



Application: multifunctional conference room, training room, classroom, exhibition center, theater, cinema, monitoring center, command center etc.

SPECIFICATIONS	VX WALL 108"	VX WALL 135"	VX WALL 163"	VX WALL 216"
Size	108"	135"	163"	216"
Pixel Pitch (mm)	1.2	1.5	1.8	2.5
Resolution	1920×1080	1920×1080	1920×1080	1920×1080
Display Area (mm)	2400×1350	3000×1687	3600×2025	4800×2700
Application Area (m ²)	40	60	100	150
Number of Viewers	20	40	60	100
Brightness (nit)	600	600	600	600
Viewing Angle (Horizontal/Vertical)	170°/170°	170°/170°	170°/170°	170°/170°
Power Supply	AC 100-240V	AC 100-240V	AC 100-240V	AC 100-240V
Max. Power Consumption (w)	2323	2675	5225	4645
Maintenance	Front	Front	Front	Front
Operating Temperature/Humidity(C /RH)	-10~40/10%~85%	-10~40/10%~85%	-10~40/10%~85%	-10~40/10%~85%

· All-in-One with slim body and light weight modular design to save your space and make your boardroom brilliant.



· Seamless surface, adjustable brightness and color temperature, 100% image restoration to bring you HD visual experience.



· Integrated with external devices, wireless screen transmission, remote video conference, and multi-windows splicing are available to maximize user engagement.




· 160° super wide viewing angle and 2-30 meters long visible distance to make every seat VIP.



· All-in-One with either foot standing or wall mounting frame included; Installation to be finished within 1 hour by 2 person.

· 100,000 hours service life.



1 X WALL = Service life of 25 light projectors or 8 laser projectors